

Amendments to the Claims:

The following listing of claims replaces all prior versions, and listings, of claims in the application:

Listing of Claims:

1-3. (Canceled)

4. (Currently amended) A method of treating ~~or inhibiting an~~ arrhythmic events event in a human patient suffering therefrom, said method comprising administering to said ~~human a liquid pharmaceutical composition comprising a therapeutically~~ patient by continuous infusion a single dose of an effective arrhythmia inhibiting amount of at least one 3,7-diazabicyclo[3,3,1]nonane compound [[,]] or a physiologically acceptable acid addition salt thereof, wherein the continuously administered single dose is administered in a plurality of two successive phases , wherein said compound such that in the first phase a first part of the continuously administered single dose is administered in a two-step administration of two continuous administration phases at a first rate, and in the second phase a second part of the continuously administered single dose is administered at a second, slower rate.

5. (Previously presented) The method of claim 4, wherein said arrhythmic event is onset of atrial fibrillation or flutter and said method results in conversion of atrial fibrillation or flutter to normal sinus rhythm.

6. (Previously presented) The method of claim 4, wherein said compound is present as a solvate or as a prodrug.

7-10. (Canceled)

11. (Currently amended) A method of treating ~~or inhibiting~~ an arrhythmic events event in a human patient suffering therefrom, said method comprising administering to said ~~human a liquid pharmaceutical composition comprising a therapeutically~~ patient by continuous infusion a single dose of an effective arrhythmia inhibiting amount of at least one 3,7-diazabicyclo[3,3,1]nonane compound [[,]] or a physiologically acceptable acid addition salt thereof, in a ~~plurality of two~~ successive phases, wherein ~~a liquid pharmaceutical composition comprising a first therapeutically effective amount of said 3,7-diazabicyclo[3,3,1]nonane compound, which is sufficient for treating or inhibiting arrhythmic events in humans,~~ in the first phase a first part of the continuously administered single dose is administered at a first rate over a first time period of from about 8 to about 12 minutes, and ~~a second therapeutically effective amount of said 3,7-diazabicyclo[3,3,1]nonane compound, which is sufficient for continuing the treating or inhibiting,~~ in the second phase a second part of the continuously administered single dose is administered at a second, slower rate over a second time period of from about 15 to about 25 minutes.


12. (Original) The method of claim 11, wherein said compound is administered over a first time period of from about 9 to about 11 minutes.

13. (Original) The method of claim 11, wherein said compound is administered over a first time period of from about 9.5 to about 10.5 minutes.

14. (Original) The method of claim 11, wherein said compound is administered over a second time period of from about 17 to about 23 minutes.

15. (Original) The method of claim 11, wherein said compound is administered over a second time period of from about 19 to about 21 minutes.

16. (Previously presented) The method of claim 4, wherein said compound corresponds to Formula I:



wherein


R1 represents an alkyl group containing from 1 to 6 carbon atoms; an alkylene group containing from 3 to 6 carbon atoms having a double bond which is not linked directly to the nitrogen atom; a cycloalkylalkyl group containing from 4 to 9 carbon atoms or a benzyl group;

R2 represents a lower alkyl group;

R3 represents a lower alkyl group or

R2 and R3 together form an alkylene chain containing from 3 to 6 carbon atoms; and

R4 represents an alkyl group containing from 1 to 6 carbon atoms; an alkenyl group containing from 3 to 6 carbon atoms having a double bond which is not linked directly to the nitrogen atom; a cycloalkylalkyl group containing from 4 to 9 carbon atoms; a group corresponding to Formula a:




wherein

R5 represents hydrogen, halogen, lower alkyl or lower alkoxy, and

Z represents an alkylene chain containing from 1 to 3 carbon atoms; a propenylene chain having a double bond which is conjugated with the phenyl group; or

a group corresponding to Formula b:



wherein

R6 represents hydrogen, halogen, lower alkyl or lower alkoxy and

R7 represents hydrogen, halogen, lower alkyl or lower alkoxy.

17. (Original) The method of claim 16, wherein R1 represents an alkyl group containing from 1 to 6 carbon atoms or a cycloalkylalkyl group containing from 4 to 7 carbon atoms.

18. (Original) The method of claim 16, wherein R4 represents an alkyl group containing from 1 to 6 carbon atoms, a cycloalkylalkyl group containing from 4 to 7 carbon atoms, or a group corresponding to Formula b.

19. (Original) The method of claim 16, wherein R1 represents an alkyl group containing from 3 to 6 carbon atoms or a cycloalkylalkyl group containing from 4 to 7 carbon atoms, and R4 represents an alkyl group containing from 3 to 6 carbon atoms or a cycloalkylalkyl group containing from 4 to 7 carbon atoms.

20. (Original) The method of claim 16, wherein said 3,7-diazabicyclo[3,3,1]nonane compound is a 9,9-alkylene-3,7-diazabicyclo[3.3.1]nonane compound corresponding to Formula I wherein R2 and R3 together form an alkylene chain containing from 4 to 5 carbon atoms, and R1 and R4 independently of one another each denote a straight-chain or branched alkyl group of 3-4 carbon atoms or a cyclopropylmethyl group.

21. (Original) The method of claim 20, wherein said 3,7-diazabicyclo[3,3,1]nonane compound is a fumaric acid salt of said 9,9-alkylene-3,7-diazabicyclo[3,3,1]-nonane compound containing 1.5 moles of fumaric acid per mole of nonane compound.

22. (Original) The method of claim 16, wherein said 3,7-diazabicyclo[3,3,1]nonane compound is selected from the group consisting of N,N'-dicyclopropylmethyl-9, 9-tetramethylen-3,7-diazabicyclo[3,3,1]nonane, and N-isobutyl-N'-isopropyl-9,9-pentamethylen-3,7-diazabicyclo[3,3,1]nonane.

23. (Original) The method of claim 22, wherein said 3,7-diazabicyclo[3,3,1]nonane compound is a fumaric acid salt of N,N'-dicyclopropylmethyl-9, 9-tetramethylene-3,7-diazabicyclo[3,3,1]nonane or of N-isobutyl-N'-isopropyl-9,9-pentamethylene-3,7-diazabicyclo[3,3,1]nonane containing 1.5 moles of fumaric acid per mole of nonane compound.

24. (Original) The method of claim 16, wherein said 3,7-diazabicyclo[3,3,1]nonane compound is a hydrochloride salt.

25-38. (Canceled)